




**HCC TECHNOLOGY CO.,LTD.**






Room517, Unit 4 ,Building 18,Lihu Park,Buji,Longgang, Shen zhen , Guangdong,China






Tel:0086-755-29228763 Fax:86-755-28547917 Http://www.hccled.com export@hccled.com



Contact: Mr.Jeff

**Production Time: 15 days after get T/T payment****Payment Terms: T/T (30% deposit in advance, 70% balance before shipment)****Price: USD (FOB SHEN ZHEN)**

QUOTATION						
PICTURE	SPECIFICATION	MODEL NO.	PRICE (US\$)			PACKING
			Samples	120-1000PCS	1000-5000PCS	
<b>SMD LED T8 TUBE SERIES</b>						
 <b>600/26mm 8W</b>	1) LED Quantity: 120pcs SMD3528 2) Dimension: 600/26mm 3) Input Voltage: AC85-165/165-265V 4) Luminous flux: 500-650-800LM 5) Life Span: 50k-80k Hrs 6) Color Temperature: 3500K-5000K(WW); 5000-6000K(PW); 6500K+(CW) 7) Power: 8W	HCC-T806-SW08-02	30.00	25.00	22.80	25PCS/CTN Size: 24 x 26 x 68cm
 <b>600/26mm 8W</b>	1) LED Quantity: 120pcs SMD3528 2) Dimension: 600/26mm 3) Input Voltage: AC85-165/165-265V 4) Luminous flux: 750-850-950LM 5) Life Span: 50k-80k Hrs 6) Color Temperature: 3500K-5000K(WW); 5000-6000K(PW); 6500K+(CW) 7) Power: 8W	HCC-T806-SS08-02 <b>(HIGH LUMINANCE)</b>	32.70	27.30	24.60	25PCS/CTN Size: 24 x 26 x 68cm
 <b>600/30mm 10W</b>	1) LED Quantity: 162pcs SMD3528 2) Dimension: 600/30mm 3) Input Voltage: AC85-165/165-265V 4) Luminous flux: 750-850-950LM 5) Life Span: 50k-80k Hrs 6) Color Temperature: 3500K-5000K(WW); 5000-6000K(PW); 6500K+(CW) 7) Power: 10W 8) Heat Sink	HCC-T806-SW10-03	32.70	27.30	24.60	25PCS/CTN Size: 24 x 26 x 68cm

 <p><b>600/30mm 10W</b></p>	<p>1) LED Quantity: 162pcs SMD3528  2) Dimension: 600/30mm  3) Input Voltage: AC85-165/165-265V  4) Luminous flux: 950-1100-1300LM  5) Life Span: 50k-80k Hrs  6) Color Temperature: 3500K-5000K(WW);  5000-6000K(PW); 6500K+(CW)  7) Power: 10W  8) Heat Sink</p>	<p>HCC-T806-SS10-03  <b>(HIGH LUMINANCE)</b></p>	<p>41.20</p>	<p>34.40</p>	<p>31.50</p>	<p>25PCS/CTN  Size: 24 x 26 x 68cm</p>
 <p><b>900/26mm 10W</b></p>	<p>1) LED Quantity: 180pcs SMD3528  2) Dimension: 900/26mm  3) Input Voltage: AC85-165/165-265V  4) Luminous flux: 1050-1250-1350LM  5) Life Span: 50k-80k Hrs  6) Color Temperature: 3500K-5000K(WW);  5000-6000K(PW); 6500K+(CW)  7) Power: 10W</p>	<p>HCC-T809-SW10-02</p>	<p>44.40</p>	<p>37.00</p>	<p>33.60</p>	<p>25PCS/CTN  Size: 24 x 26 x 98cm</p>
 <p><b>1200/26mm 15W</b></p>	<p>1) LED Quantity: 240pcs SMD3528  2) Dimension: 1200/26mm  3) Input Voltage: AC85-165/165-265V  4) Luminous flux: 1100-1300-1500LM  5) Life Span: 50k-80k Hrs  6) Color Temperature: 3500K-5000K(WW);  5000-6000K(PW); 6500K+(CW)  7) Power: 15W</p>	<p>HCC-T812-SW15-02</p>	<p>46.50</p>	<p>38.80</p>	<p>35.80</p>	<p>25PCS/CTN  Size: 24 x 26 x 128cm</p>
 <p><b>1200/26mm 15W</b></p>	<p>1) LED Quantity: 240pcs SMD3528  2) Dimension: 1200/26mm  3) Input Voltage: AC85-165/165-265V  4) Luminous flux: 1400-1600-1800LM  5) Life Span: 50k-80k Hrs  6) Color Temperature: 3500K-5000K(WW);  5000-6000K(PW); 6500K+(CW)  7) Power: 15W</p>	<p>HCC-T812-SS15-02  <b>(HIGH LUMINANCE)</b></p>	<p>57.10</p>	<p>47.60</p>	<p>44.50</p>	<p>25PCS/CTN  Size: 24 x 26 x 128cm</p>
 <p><b>1200/30mm 20W</b></p>	<p>1) LED Quantity: 324pcs SMD3528  2) Dimension: 1200/30mm  3) Input Voltage: AC85-165/165-265V  4) Luminous flux: 1400-1600-1800LM  5) Life Span: 50k-80k Hrs  6) Color Temperature: 3500K-5000K(WW);  5000-6000K(PW); 6500K+(CW)  7) Power: 20W  8) Heat Sink</p>	<p>HCC-T812-SW20-03</p>	<p>57.10</p>	<p>47.60</p>	<p>44.50</p>	<p>25PCS/CTN  Size: 24 x 26 x 128cm</p>

 <p><b>1200/30mm 20W</b></p>	<p>1) LED Quantity: 324pcs SMD3528  2) Dimension: 1200/30mm  3) Input Voltage: AC85-165/165-265V  4) Luminous flux: 1950-2150-2350LM  5) Life Span: 50k-80k Hrs  6) Color Temperature: 3500K-5000K(WW);  5000-6000K(PW); 6500K+(CW)  7) Power: 20W  8) Heat Sink</p>	<p>HCC-T812-SS20-03  <b>(HIGH LUMINANCE)</b></p>	<p>62.40</p>	<p>52.00</p>	<p>48.80</p>	<p>25PCS/CTN  Size: 24 x 26 x 128cm</p>
 <p><b>1500/26mm 18W</b></p>	<p>1) LED Quantity: 300pcs SMD3528  2) Dimension: 1500/26mm  3) Input Voltage: AC85-165/165-265V  4) Luminous flux: 1500-1650-1800LM  5) Life Span: 50k-80k Hrs  6) Color Temperature: 3500K-5000K(WW);  5000-6000K(PW); 6500K+(CW)  7) Power: 18W</p>	<p>HCC-T815-SW18-02</p>	<p>58.20</p>	<p>48.50</p>	<p>45.30</p>	<p>25PCS/CTN  Size: 24 x 26 x 158cm</p>
 <p><b>1500/26mm 18W</b></p>	<p>1) LED Quantity: 300pcs SMD3528  2) Dimension: 1500/26mm  3) Input Voltage: AC85-165/165-265V  4) Luminous flux: 1750-1950-2100LM  5) Life Span: 50k-80k Hrs  6) Color Temperature: 3500K-5000K(WW);  5000-6000K(PW); 6500K+(CW)  7) Power: 18W</p>	<p>HCC-T815-SS18-02  <b>(HIGH LUMINANCE)</b></p>	<p>62.40</p>	<p>52.00</p>	<p>48.80</p>	<p>25PCS/CTN  Size: 24 x 26 x 158cm</p>
 <p><b>1500/30mm 22W</b></p>	<p>1) LED Quantity: 432pcs SMD3528  2) Dimension: 1500/30mm  3) Input Voltage: AC85-165/165-265V  4) Luminous flux: 1700-1950-2200LM  5) Life Span: 50k-80k Hrs  6) Color Temperature: 3500K-5000K(WW);  5000-6000K(PW); 6500K+(CW)  7) Power: 22W  8)Heat Sink</p>	<p>HCC-T815-SW22-03</p>	<p>58.90</p>	<p>49.10</p>	<p>47.70</p>	<p>25PCS/CTN  Size: 24 x 26 x 158cm</p>
 <p><b>1500/30mm 22W</b></p>	<p>1) LED Quantity: 432pcs SMD3528  2) Dimension: 1500/30mm  3) Input Voltage: AC85-165/165-265V  4) Luminous flux: 2350-2500-2650LM  5) Life Span: 50k-80k Hrs  6) Color Temperature: 3500K-5000K(WW);  5000-6000K(PW); 6500K+(CW)  7) Power: 22W  8)Heat Sink</p>	<p>HCC-T815-SS22-03  <b>(HIGH LUMINANCE)</b></p>	<p>74.80</p>	<p>62.30</p>	<p>60.00</p>	<p>25PCS/CTN  Size: 24 x 26 x 158cm</p>

 <p><b>1800/30mm 22W</b></p>	<p>1) LED Quantity: 432pcs SMD3528  2) Dimension: 1800/30mm  3) Input Voltage: AC85-165/165-265V  4) Luminous flux: 1700-1950-2200LM  5) Life Span: 50k-80k Hrs  6) Color Temperature: 3500K-5000K(WW);  5000-6000K(PW); 6500K+(CW)  7) Power: 22W  8)Heat Sink</p>	<p>HCC-T818-SW22-03</p>	<p>63.50</p>	<p>52.90</p>	<p>50.30</p>	<p>25PCS/CTN  Size: 24 x 26 x 188cm</p>
 <p><b>1800/30mm 22W</b></p>	<p>1) LED Quantity: 432pcs SMD3528  2) Dimension: 1800/30mm  3) Input Voltage: AC85-165/165-265V  4) Luminous flux: 2350-2500-2600LM  5) Life Span: 50k-80k Hrs  6) Color Temperature: 3500K-5000K(WW);  5000-6000K(PW); 6500K+(CW)  7) Power: 22W  8)Heat Sink</p>	<p>HCC-T818-SS22-03  (HIGH LUMINANCE)</p>	<p>77.30</p>	<p>64.40</p>	<p>61.80</p>	<p>25PCS/CTN  Size: 24 x 26 x 188cm</p>